



# HEAVY DUTY CHAMBER LESS VACUUM PACKING MACHINE

## Operational Control Functions

- Digital Control: Time control / 22 default programs
- Sensor Control: Set percentage pressure for vacuum and gas functions for accurate and constant packaging results
- Liquid Control: Set percentage pressure for vacuum and detect boiling point of the product. For fast cycle and better food protection
- Advanced Control System: Set percentage pressure or mbar/hPa/kpa/mmHg for vacuum and gas function for accurate and constant packaging results / 10 default PLC programs / Vacuum plus time / Sequential vacuum / Secured Operator Access / LCD full color screen Touch Screen / PC interface / Compatible with label printer


## Optional Functions

- Service kit for standard maintenance
- Special control options for specific applications

## Support Control Functions

- Stop button for partial / full cycle interrupt
- Digital maintenance program for pump / operating hours counter / Service indicator programs / Sleeper functions etc.

Sealing Length



## MODEL & PARAMETERS

MODEL	NVH - 450	NVH-550P	NVH - 600	NVH - 800	NVH-1200
<b>PUMP CAPACITY</b>	8m3/h	8m3/h	16m3/h-65m3/h	16m3/h-65m3/h	65m3/h-300m3/h
<b>MACHINE CYCLE</b>	3-10SEC	5-30SEC	15-40SEC	15-40SEC	15-40SEC
<b>MACHINE DIM</b>	L650 W800 H600mm`	L850 W800 H7400mm	L800 W900 H1300mm	L1000 W900 H1300mm	L1320 W1280 H1100mm
<b>MACHINE WEIGHT</b>	-	-	-	-	-
<b>VOLTAGE</b>	230V-1PH-50Hz	230V-1PH-50HZ	230V-1PH-50HZ	230V-1PH-50HZ	230V-1PH-50HZ
<b>POWER</b>	1.5KW	0.5KW	1.5KW	1.5KW	1.5, 3KW
<b>NOZZLE</b>	VACCUM & GAS 1 & 2	VACCUM & GAS 1 & 2	VACCUM & GAS 1 & 2	VACCUM & GAS 1 & 2	VACCUM & GAS 1 & 2
<b>SEALING LENGTH</b>	450mm	550mm	600mm	800mm	1200mm
<b>SEALING WIDTH</b>	10mm	10mm	10mm	10mm	10mm
<b>DIGITAL CONTROL</b>	PLC HMI	PLC HMI	PLC HMI	PLC HMI	PLC HMI

